


mecanotek

www.mecanotek.com



BOX LIFTER

In a wide range of sizes and variants.
We offer solutions for nearly every application.









BOX LIFTERS	PAGE
Box lifter pneumatic	6.2
Box lifter pneumatic compact	6.3
Box lifter electric (battery)	6.4
Box lifter electromotive	6.5
Box lifter electromotive automatic	6.6
Box lifter elektrohydraulic heavy duty	6.7
Accessories for box lifters	
Fork variants	6.8
Remote control pneumatic box lifters	6.8
Remote control elektromotive box lifters	6.8
Remote control elektromotive box lifters with LOGO control system	6.8
Pneumatic safety-turn-off	6.9
Stroke arresting for all box lifters	6.9
Pivot mounting for pneumatic box lifters	6.9








BOX LIFTER PNEUMATIC

Designation Article no.	ASK KHG 800 615030	ASK KHG 1000 615040	ASK KHG 1300 615050	ASK KHG 1500 615053	ASK KHG 1800 615056
Stroke	800	1000	1300	1500	1800
Dimensions L x W x H	450 x 665 x 1450	450 x 665 x 1650	450 x 665 x 1950	450 x 665 x 2150	450 x 665 x 2450
Weight	122 kg	128 kg	139 kg	145 kg	151 kg
Operating pressure	6 bar	6 bar	6 bar	6 bar	6 bar
Travel speed	ca. 150mm/s	ca. 150mm/s	ca. 150mm/s	ca. 150mm/s	ca. 150mm/s
Load bearing capacity	2500N Please also take note of the customer-specific adapter weight!				
Pneumatic connec- tion	Walter LP-006-1-WRO13-11/ Lüdecke ES 14 NA				
Control	Button UP / DOWN; left / right side or remote control				
Price	on inquiry				






BOX LIFTER | PNEUMATIC COMPACT

Designation Article no.	ASK KHG 800 615300	ASK KHG 1000 615305	ASK KHG 1300 615310
Stroke	800	1000	1300
Dimensions L x W x H	665 x 450 x 1140	665 x 450 x 1340	665 x 450 x 1640
Weight	110 kg	123 kg	142 kg
Operating pressure	6 (8) bar	6 (8) bar	6 (8) bar
Travel speed	approx. 150 mm/s	approx. 150 mm/s	approx. 150 mm/s
Load bearing capacity	2000 N (2500 N) Please also take note of the customer-specific adapter weight!		
Pneumatic connection	Walter LP-006-1-WRO13-11/ Lüdecke ES 14 NA		
Control	Button UP / DOWN; left / right side or remote control		
Price	on inquiry		




BOX LIFTER ELECTRIC (BATTERY)

Designation Article no.	ASK KHG 800 615080	ASK KHG 1000 615100
Stroke	800	1000
Dimensions L x W x H	286 x 582 x 1404	286 x 582 x 1604
Weight	approx. 100 kg	approx. 120 kg
Travel speed	100 mm/s	100 mm/s
Load bearing capacity	1200 N Please also take note of the customer-specific adapter weight!	
Control	Controller for continuously adjustable up and down lift	
Price	on inquiry	




BOX LIFTER | ELECTROMOTIVE

Designation Article no.	ASK KHG 800 615085	ASK KHG 1000 615105	ASK KHG 1300 615135
Stroke	800	1000	1300
Dimensions L x W x H	286 x 582 x 1404	286 x 582 x 1604	286 x 582 x 1904
Weight	110 kg	120 kg	150 kg
Travel speed	46 mm/s	46 mm/s	46 mm/s
Load bearing capacity	1200 N Please also take note of the customer-specific adapter weight!		
Control	Controller for continuously adjustable up and down lift		
Price	on inquiry		

**BOX LIFTER ELECTROMOTIVE - AUTOMATIC**

Designation Article no.:	ASK KHG 800 615086	ASK KHG 1000 615106	ASK KHG 1300 615136
Stroke	800	1000	1300
Dimensions basic machine L x W x H	209 x 570 x 1325	209 x 570 x 1525	209 x 570 x 1825
Weight	110 kg	120 kg	150 kg
Travel speed	46 mm/s	46 mm/s	46 mm/s
Load bearing capacity	3000 N Please also take note of the customer-specific adapter weight!		
Control	Wired control panel UP / DOWN, AUTO, QUIT and emergency STOP		
Price	on inquiry		



BOX LIFTER ELEKTROHYDRAULIC FOR HEAVY DUTY

Designation Article no.	ASK KHG 800 615350	ASK KHG 1000 615355	ASK KHG 1300 615360
Stroke	800	1000	1300
Dimensions L x W x H	1150 x 1050 x 1500	1150 x 1050 x 1700	1150 x 1050 x 2000
Weight	440 kg	460 kg	500 kg
Travel speed	40 50 60 mm/s	40 50 60 mm/s	40 50 60 mm/s
Load bearing capacity	10 000 N Please also take note of the customer-specific adapter weight!		
Control	Wired control panel UP/DOWN Button		
Price	on inquiry		



LIFTING FORKS FOR BOX LIFTER




Article no.:	
Implementation	According to customer specification
Material	Steel powder-coated RAL7016
Price	on inquiry

HAND SWITCH FOR PNEUMATIC BOX LIFTERS



Article no.: 615074	
Implementation	UP/ DOWN and swivel function
Hose length	hose line 2,0m
Fastening	Strap at enclosure or: Fastening with magnets at enclosure
Price	on inquiry



HAND SWITCH FOR PNEUMATIC BOX LIFTERS



Standard equipment for box lifters	
Implementation	According to customer specification
Hose length	According to customer specification
Price	on inquiry

HAND SWITCH FOR BOX LIFTERS
WITH LOGO CONTROL SYSTEM

Standard equipment for box lifters	
Implementation	According to customer specification
Hose length	According to customer specification
Price	on inquiry







PNEUMATIC – SAFETY – TURN - OFF

Article no.: 615071

Implementation This system is responsible for supervising the chain. If the forklift arm runs aground of an object the safety-turn-off automatically reacts because of a relaxed chain. Now only the UP button is operable. You must lift the fork far enough, that you can remove the object from the danger zone

Article no.: 615073

Implementation Automatical safety-turn-off and automatical lift If the forklift arm runs aground of an object



CHASSIS FOR PNEUMATIC BOX LIFTERS

Article no.: 615065

Implementation According to customer specification

Material Steel powder-coated RAL7016

Price on inquiry



STROKE ARRESTING

Article no.: 615072

Implementation Upper end position adjustable

Price on inquiry

PIVOT MOUNTING

Article no.: 615060

Implementation Box lifter revolves through 360°

Material Steel powder-coated RAL7016

Price on inquiry

